




B.Lux Lite Hole S120

Oberfläche

- copper
- black
- gold
- white

Technical details

| | |
|------------------------------------|---|
| Country of Manufacture |  Spain |
| Manufacturer | B.Lux |
| Designer | David Abad |
| protection | IP20 |
| Scope of delivery | LED |
| voltage suitability | 230 - 240 Volt |
| Diameter in cm | 120 |
| material | acrylic glass, aluminum |
| cable length | 250 cm |
| height adjustment | height determinable |
| dimming | push dimmable |
| LED | inclusive |
| Colour Rendering Index | 90 |
| Color temperature in Kelvin | 3,000 warm white |
| canopy dimensions | 12 cm |
| system performance | 1 x 19.5 Watt + 1 x 41 Watt |
| Total luminous flux in lm | 11,624 |
| Dimensions | H 8 cm Ø 120 cm |

Description

The B.Lux Lite Hole S120 pendant lamp consists of two concentric aluminum rings that sit on top of each other. Its lamp body has a diameter of 120 cm and a height of 6 cm. Thanks to a diffuser made of opal white acrylic glass, any glare is prevented and the light is distributed directly downwards.

The Lite Hole S120 is available in white matt, black matt, copper and gold. It is suspended with four cables, which have a maximum length of 250 cm and can be shortened if necessary. The two integrated LEDs each have a colour temperature of 3,000 Kelvin warm white. One of the two LEDs has an output of 19.5 watts, the other 41 watts. The pendant lamp can be dimmed with Push or DALI. Push requires a 4-core mains lead for dimming, DALI a 5-core. A version that can be dimmed with a Casambi module by smartphone via Bluetooth is also available on request. The version with Casambi module can be operated easily and intuitively via mobile devices with the free CASAMBI app (iOS and Android). Casambi thus expands the control options with functions such as dimming, grouping of lamps, programming of groups and scenes, automations and much more. In addition to this pendant lamp, the Lite Hole is also available with a diameter of 60 cm or 90 cm.