

# Byok

## Piani Mono 125 Downlight




### Oberfläche

- aluminium poli
- Matt aluminium
- noir mat

### Leuchte

- réglable en hauteur
- réglable en hauteur

## Technical details

<b>Pays de fabrication</b>	 Allemagne
<b>fabricant</b>	Byok
<b>concepteur</b>	Kai Byok
<b>protection</b>	IP20
<b>Contenu de la livraison</b>	LED
<b>aptitude de tension</b>	230 - 240 Volt
<b>matériel</b>	aluminium
<b>longueur de câble</b>	300 cm
<b>atténuation</b>	dimmerable sur place avec commande gradateur de phase inverse
<b>LED</b>	y compris
<b>Indice de rendu des couleurs</b>	>90
<b>La température de couleur en Kelvin</b>	2.700 extra blanc chaud
<b>remplacement des ampoules :</b>	chez le fabricant / a l'usine
<b>Les performances du système</b>	8 x 3,6 Watt
<b>Flux lumineux total en LM</b>	2.440
<b>Dimensions</b>	H 1 cm   B 5 cm   L 125 cm

## Description

The Byok Piani Mono 125 is a pendant lamp. It is part of the Piani collection designed by Byok. Its unusual shape is only 1 cm thin. This lamp pleasantly illuminates the room in an almost agravic way. The eight LED bulbs are placed inside sockets so that you may exchange them singly. Following surfaces are offered: aluminum matt, aluminum polished or black matt. The light is offered either height-determinable (can be set to the desired length during assembly) or height-adjustable (the overall height can also be adjusted after assembly).

The integrated LEDs can be **dimmed on site with a trailing edge phase dimmer**. On request, they are also available with gesture control and Dim2Warm technology. With gesture control, the light is dimmed by holding the hand flat under the lamp. With Dim2Warm technology, the light takes on a warmer colour when dimmed. When dimmed, the light colour of the LEDs changes from 2,700 Kelvin extra warm white to 2,100 Kelvin extra warm white. The dimming range is between 0 and 100 percent.