



Serien Lighting

Cavity Recessed L


Oberfläche

- aluminium
- noir
- bronze
- blanc

Voltage

- 230 - 240
- 110 - 125

Technical details

| | |
|--|---|
| Pays de fabrication |  Allemagne |
| fabricant | Serien Lighting |
| concepteur | Jean-Marc da Costa und Manfred Wolf |
| année | 2019 |
| protection | IP20 |
| Contenu de la livraison | LED |
| aptitude de tension | 110 - 240 Volt |
| Diamètre en cm | 13 |
| matériel | aluminium |
| atténuation | gradable avec variateur à coupure de phase et à commande de phase |
| Puissance en Watt | 20 W |
| LED | y compris |
| Indice de rendu des couleurs | >95 |
| Flux lumineux en lm | 2.070 |
| La température de couleur en Kelvin | 2.700 extra blanc chaud |
| remplacement des ampoules : | sur le site meme |
| Dimensions | H 3 cm Ø 13 cm |

Description

The Serien Lighting Cavity Recessed L is suitable for installation in cavity ceilings. This ceiling lamp is 2.8 cm high and has a diameter of 12.5 cm. It emits its light mainly directly downwards. The LED is recessed in the lamp so that the light is shielded to the side. Part of the emitted light is reflected by the lamp itself. The Cavity Recessed L is made of aluminum and is available in black, white, aluminum gloss finish and bronze finish. The integrated LED can be replaced if necessary and is dimmable on site with a trailing edge or leading edge phase dimmer. It is supplied with a colour temperature of 2,700 Kelvin extra warm white as standard. On request, the recessed ceiling light is also available with a colour temperature of 3,000 Kelvin warm white or DALI dimmable. A driver is included in the scope of delivery.