

# Betec


## Clarus 46 cm Typ 22



### Oberfläche

- chrome
- or mat
- Laiton brillant
- Laiton mat
- nickel brillant
- matte de nickel
- noir
- Browning
- or brillant

### Technical details

<b>Pays de fabrication</b>	 Allemagne
<b>fabricant</b>	Betec
<b>concepteur</b>	Horst Lettenmayer
<b>protection</b>	IP20
<b>Contenu de la livraison</b>	LED
<b>aptitude de tension</b>	110 - 240 Volt
<b>Projection en cm</b>	22
<b>matériel</b>	laiton
<b>atténuation</b>	gradable avec variateur à coupure de phase et à commande de phase
<b>Puissance en Watt</b>	6,8 W
<b>LED</b>	y compris
<b>Indice de rendu des couleurs</b>	>90
<b>Flux lumineux en lm</b>	592,5
<b>La température de couleur en Kelvin</b>	2.700 extra blanc chaud
<b>Dimensions</b>	H 28 cm   L 46 cm

### Description

The Betec Clarus is ideal for picture, menu and music stand lighting because it has an adjustable lamp head. This lamp head can be rotated around its own axis, which allows it to illuminate a picture without glare. The high constant light output with low power consumption and extremely long service life are ideal prerequisites for modern picture lighting. Here, the picture light is available with a length of 46 cm and a projection of 22 cm (bracket type 22).

The Betec Clarus 46 is offered in the surfaces brass glossy, brass matt, chrome, nickel glossy, nickel matt, burnished, black matt, gold glossy and gold matt. A mounting set is included in the scope of delivery, with which the lamp can easily be mounted directly on a picture or on the wall. As standard, the lamp has a colour temperature of 2,700 Kelvin extra warm white. On request, it is also available with 2,400 Kelvin extra warm white, 3,000 Kelvin warm white or 3,100 Kelvin white. The integrated, dimmable LED is characterised by very good colour rendering with a high colour rendering index of Ra >90. A touch dimmer is offered as an accessory, with which the lamp can be switched and dimmed by touch. Betec supplies it in ten other lengths and with a projection of 11 cm or 17 cm.