



Knapstein HELLI-3

Oberfläche

- nickel
- noir
- bronze

Struktur

- Nickel
- noir
- bronze

Technical details

Pays de fabrication	Allemagne
fabriquant	Knapstein
année	2024
matériel	Acryl, Metall
réglage de la hauteur	réglable en hauteur
atténuation	contrôle gestuel
Puissance en Watt	6x8 W
LED #	inclus
Indice de rendu des couleurs	>90
Flux lumineux en lm	6420
La température de couleur en Kelvin	2.700 blanc chaud extra
protection	IP20
Contenu de la livraison	LED
aptitude de tension	230 - 240 Volt
baldaquin	120x4,5 cm
remplacement des ampoules :	chez le fabricant / a l'usine
hauteur totale	70 - 170 cm

Description

The Knapstein HELLI-3 LED pendant lamp has three cylindrical lamp bodies with freely combinable structures on the underside. The lenses of the lower diffusers are reversible, making it easy to choose between a lens for a focussed lighting effect and a disc for a diffuse lighting effect. To do this, unscrew the lower luminaire ring and replace the enclosed glass in the desired position (lens/disc). The aforementioned screw ring (structure) is available in 3 different colours. A swiping hand movement in the sensor area switches the corresponding light source on or off. To dim the light, the hand is held in front of the respective sensor until the desired light intensity is reached. Thanks to the integrated memory function, the last settings are saved and are immediately available again the next time the light is switched on. The uplight and downlight can be switched and dimmed separately using gesture control. Thanks to individual lift suspensions, the height of the three lamp bodies can be infinitely adjusted from approx. 70 cm - 170 cm at any time by simply pulling or lifting - even on sloping ceilings. The Knapstein HELLI-3 has a synchronisation function that enables the light intensity to be adjusted evenly across all three light sources. The rectangular ceiling canopy of the Knapstein HELLI-3 LED pendant lamp has a magnetic holder, so no external screw connections are visible. This pendant lamp is available in several surfaces and freely combinable external structures on the underside.