



# Knapstein

## SARA-60

### Oberfläche

- nikkel
- zwart
- bronzen

### Technical details

Land van fabricage	 Duitsland
fabrikant	Knapstein
ontwerper	Knapstein
jaar	2020
bescherming	IP20
Omvang van de levering	LED
voltage geschiktheid	230 - 240 Volt
Diameter in cm	60
materiaal	messing
hoogteverstelling	hoogte verstelbaar
dimmen	gebarencontrole
Wattage	72 W
LED	inclusief
Kleurweergave-index	>90
Lichtstroom in lm	7.850
Kleurtemperatuur in Kelvin	2.200 - 3.000 instelbaar
luifel Dimensions	30 cm
bulb vervangen:	bij de fabrikant / fabriek
totale hoogte	70 - 170 cm
Dimensions	H 5,5 cm   Ø 60 cm

### Omschrijving

The Knapstein SARA-60 is a ring-shaped pendant lamp with a diameter of 60 cm. The ring has a closed shape. By pulling or lifting the lamp, the total height of the lamp can be infinitely adjusted between 70 cm and 170 cm. The lamp can also be suspended at an angle. The SARA-60 from Knapstein emits its light both upwards and downwards. The uplight and the downlight can be switched separately from each other as well as dimmed continuously by gesture control. Using gesture control, it is also possible to adjust the light colour for the uplight and downlight to a warmer tone (from a colour temperature of 3,000 Kelvin warm white to 2,200 Kelvin extra warm white). All dimming and light colour settings are saved via the memory function and are automatically reset when the light is next switched on.

The lamp is switched on or off by a wiping hand movement in the sensor area. To dim the light, the hand is held in the sensor area for a longer time. The lamp flickers up briefly after the dimming process is complete. The desired light colour can then be set by holding the hand in the sensor area again for a longer period of time. The SARA-60 is available in matt nickel, black and bronze effect. Its ceiling canopy has no visible screws, as the canopy is held in place by magnets. Besides this pendant lamp with a diameter of 60 cm, the SARA-40 is also available with a diameter of 40 cm. On request, the SARA is also offered in other lengths or surfaces.