



Knapstein

HELLI-3


Oberfläche

- nikiel
- czarny
- brąz

Struktur

- Nikiel
- czarny
- bronce

Technical details

Kraj produkcji	 Niemcy
producent	Knapstein
rok	2024
tworzywo	Acryl, Metall
regulacja wysokości	z regulacją wysokości
ściemnianie	kontrola gestów
Moc w watach	6x8 W
LED #	włącznie
Wskaźnik oddawania barw	>90
Strumień świetlny w lm	6420
Temperatura barwowa w stopniach Kelvina	2.700 bardzo ciepła biel
ochrona	IP20
zakres dostawy	LED
napięcie przydatność baldachim	230 - 240 Volt
	120x4,5 cm
wymiana żarówek:	u producenta / w fabryce
wysokość całkowita	70 - 170 cm

Opis

The Knapstein HELLI-3 LED pendant lamp has three cylindrical lamp bodies with freely combinable structures on the underside. The lenses of the lower diffusers are reversible, making it easy to choose between a lens for a focussed lighting effect and a disc for a diffuse lighting effect. To do this, unscrew the lower luminaire ring and replace the enclosed glass in the desired position (lens/disc). The aforementioned screw ring (structure) is available in 3 different colours. A swiping hand movement in the sensor area switches the corresponding light source on or off. To dim the light, the hand is held in front of the respective sensor until the desired light intensity is reached. Thanks to the integrated memory function, the last settings are saved and are immediately available again the next time the light is switched on. The uplight and downlight can be switched and dimmed separately using gesture control. Thanks to individual lift suspensions, the height of the three lamp bodies can be infinitely adjusted from approx. 70 cm - 170 cm at any time by simply pulling or lifting - even on sloping ceilings. The Knapstein HELLI-3 has a synchronisation function that enables the light intensity to be adjusted evenly across all three light sources. The rectangular ceiling canopy of the Knapstein HELLI-3 LED pendant lamp has a magnetic holder, so no external screw connections are visible. This pendant lamp is available in several surfaces and freely combinable external structures on the underside.